ELSEVIER

Journal of Power Sources 66 (1997) 197

JOURNAL OF POWER SOURCES

Author Index of Volume 66

Ali, A.M.M., 169
Allison, D.U., 101
Appetecchi, G.B., 77
Arof, A.K., 169
Atlung, S., 147

Baldsing, W.G.A., 27
Birss, V., 1
Boersma, R.J., 41

Chang, H., 115
Conway, B.E., 1
Croce, F., 77

Dou, S.X., 107, 159

Garcia, J.A., 83, 89

Haun, R.E., 101
Heikonen, J., 61
Ho, S., 89

Jacobsen, T., 147
Jindra, J., 15
Jiongliang, Y., 55

Kang, H.Y., 141
Kauffman, P.C., 71
Kawakita, J., 135
Khimchenko, M.Yu., 141
Kishi, T., 135
Kumagai, N., 121

Lee, S.-F., 165
Lim, C., 115
Lim, H.S., 97, 101
Liu, H.K., 107, 159

Majima, M., 135
Manoharan, R., 155
Miura, T., 135
Mohamed, N.S., 169
Mortune, B.U., 151

Newnham, R.H., 27
Noel, M., 47

Okeke, C.A., 151
Okeke, C.C., 151
Okeke, S.S.N., 151

Roh, W., 141

Sammes, N.M., 41
Santhanam, R., 47
Sazhin, S.V., 141
Scrosati, B., 77
Sheng, G.B., 55
Skyllas-Kazacos, M., 107, 159

Tritenichenko, Y.N., 141

Uma, M., 155

Venter, R.D., 89

Wan, C.-C., 165
Wang, J., 107, 159
Wang, Y.-Y., 165
Ward, C.A., 83, 89
Watanabe, K., 121
Wilcock, W.S.D., 71
Wojtowicz, J., 1

Xia, Y., 129

Yong, D., 55
Yoshio, M., 129
Yunchang, D., 55

Zakaria, M.Z., 169
Zelter, G.R., 97, 101
Zeyun, W., 55
Zhong, S., 107, 159

Elsevier Science S.A.

ELSEVIER

Journal of Power Sources 66 (1997) 199–201

JOURNAL OF POWER SOURCES

Subject Index of Volume 66

Acid stratification
performance of flooded- and gelled-electrolyte lead/acid batteries under remote-area power-supply duty, 27
Agglomerate-of-spheres
on the thermodynamics of the agglomerate-of-spheres' model for the PbO_2 electrode, 147
Alkaline storage batteries
progress in sealed Ni–Zn cells, 1991–1995, 15
Alloys
influence of alloying with bismuth on electrochemical behaviour of lead–calcium–tin grid alloys, 107
Aluminium
influence of bismuth on hydrogen and oxygen evolution on lead–calcium–tin–aluminium grid alloys, 159
Aluminum
development of a seawater battery for deep-water applications, 71
Anodes
development of a seawater battery for deep-water applications, 71
Atomization techniques
characteristics of nickel–metal hydride cells containing metal hydride alloys prepared by an atomization technique, 101

Bismuth
influence of alloying with bismuth on electrochemical behaviour of lead–calcium–tin grid alloys, 107
influence of bismuth on hydrogen and oxygen evolution on lead–calcium–tin–aluminium grid alloys, 159

Calcium
influence of alloying with bismuth on electrochemical behaviour of lead–calcium–tin grid alloys, 107
influence of bismuth on hydrogen and oxygen evolution on lead–calcium–tin–aluminium grid alloys, 159
Cathodic polarization
zinc deposition during charging nickel/zinc batteries, 115
Cobalt
effects of surface modification of $Ni(OH)_2$ powders on the performance of nickel cathodes, 55
Copper-coating
effects of nickel- and copper-coating of hydride alloys on the electrode reactions of metal-hydride electrodes, 97
Current-collector
zinc deposition during charging nickel/zinc batteries, 115
Cycle-life performances
performance of flooded- and gelled-electrolyte lead/acid batteries under remote-area power-supply duty, 27

Deficiency
preparation and lithium insertion behaviour of oxygen-deficient $Li_{1+x}V_3O_{8-\delta}$, 135
Design criteria
design criteria for an uninterruptable power source (UPS), 151

Elsevier Science S.A.
Energy storage
the role and utilization of pseudocapacitance for energy storage by supercapacitors, 1
Electrocatalyst utilization
analytical method for determining the internal resistance and electrocatalyst utilization of fuel cells, 83
determination of internal resistance and electrocatalyst utilization of fuel cells, 89
Electrochemical behaviour
influence of alloying with bismuth on electrochemical behaviour of lead–calcium–tin grid alloys, 107
Electrochemical impregnation
ruthenium-based, inert oxide electrodes for impregnating active materials in nickel plaques, 155
Electrodes
effects of nickel- and copper-coating of hydride alloys on the electrode reactions of metal-hydride electrodes, 97
ruthenium-based, inert oxide electrodes for impregnating active materials in nickel plaques, 155
Electrolyte membranes
high-performance electrolyte membranes for plastic lithium batteries, 77
Electrolytes
electrochemical and thermodynamic studies of nickel electrodes in alkaline electrolytes, 121
lithium state diagram as a description of lithium deposit morphology, 141

Failure modes
performance of flooded- and gelled-electrolyte lead/acid batteries under remote-area power-supply duty, 27
Flooded-electrolyte batteries
performance of flooded- and gelled-electrolyte lead/acid batteries under remote-area power-supply duty, 27
Flow distribution
distribution of gas flow in internally manifolded solid oxide fuel-cell stacks, 41
Fuel cells
distribution of gas flow in internally manifolded solid oxide fuel-cell stacks, 41
analytical method for determining the internal resistance and electrocatalyst utilization of fuel cells, 83
determination of internal resistance and electrocatalyst utilization of fuel cells, 89

Gelled-electrolyte batteries
performance of flooded- and gelled-electrolyte lead/acid batteries under remote-area power-supply duty, 27
Graphite electrodes
effect of solvents on the intercalation/de-intercalation behaviour of monovalent ionic species from non-aqueous solvents on polypropylene–graphite composite electrode, 47

Grid alloy
influence of bismuth on hydrogen and oxygen evolution on lead–calcium–tin–aluminium grid alloys, 159

Hydraulic model
distribution of gas flow in internally manifolded solid oxide fuel-cell stacks, 41
Hydrogen absorption
effect of adding chromium to Ti–Zr–Ni–V–Mn alloy on its cycle life as an Ni/metal-hydride battery material, 165
Hydrogen desorption
effect of adding chromium to Ti–Zr–Ni–V–Mn alloy on its cycle life as an Ni/metal-hydride battery material, 165
Hydrogen evolution
influence of bismuth on hydrogen and oxygen evolution on lead–calcium–tin–aluminium grid alloys, 159

Insertion
preparation and lithium insertion behaviour of oxygen-deficient $Li_{1+x}V_3O_{8-\delta}$, 135
Intercalation
effect of solvents on the intercalation/de-intercalation behaviour of monovalent ionic species from non-aqueous solvents on polypropylene–graphite composite electrode, 47
Internal manifolding
distribution of gas flow in internally manifolded solid oxide fuel-cell stacks, 41
Internal resistance
analytical method for determining the internal resistance and electrocatalyst utilization of fuel cells, 83
determination of internal resistance and electrocatalyst utilization of fuel cells, 89

Lead
influence of alloying with bismuth on electrochemical behaviour of lead–calcium–tin grid alloys, 107
influence of bismuth on hydrogen and oxygen evolution on lead–calcium–tin–aluminium grid alloys, 159
Lead/acid batteries
performance of flooded- and gelled-electrolyte lead/acid batteries under remote-area power-supply duty, 27
Lead dioxide electrodes
on the thermodynamics of the agglomerate-of-spheres' model for the PbO_2 electrode, 147
Lithium
studies on Li–Mn–O spinel system (obtained from melt-impregnation method) as a cathode for 4 V lithium batteries Part IV. High and low temperature performance of $LiMn_2O_4$, 129
preparation and lithium insertion behaviour of oxygen-deficient $Li_{1+x}V_3O_{8-\delta}$, 135
Lithium batteries
high-performance electrolyte membranes for plastic lithium batteries, 77
Lithium electrodeposition
lithium state diagram as a description of lithium deposit morphology, 141
Lithium-ion batteries
studies on Li–Mn–O spinel system (obtained from melt-impregnation method) as a cathode for 4 V lithium batteries Part IV. High and low temperature performance of $LiMn_2O_4$, 129
Localized premature capacity loss
performance of flooded- and gelled-electrolyte lead/acid batteries under remote-area power-supply duty, 27

Magnesium
development of a seawater battery for deep-water applications, 71
Manganese dioxide
studies on Li–Mn–O spinel system (obtained from melt-impregnation method) as a cathode for 4 V lithium batteries Part IV. High and low temperature performance of $LiMn_2O_4$, 129
Mathematical analysis
mathematical analysis of potential losses in a thick porous metal-hydride electrode during a discontinuous discharge, 61
Membranes
high-performance electrolyte membranes for plastic lithium batteries, 77
Metal-hydride alloys
effects of nickel- and copper-coating of hydride alloys on the electrode reactions of metal-hydride electrodes, 97
characteristics of nickel–metal hydride cells containing metal hydride alloys prepared by an atomization technique, 101
effect of adding chromium to Ti–Zr–Ni–V–Mn alloy on its cycle life as an Ni/metal-hydride battery material, 165
Metal-hydride electrodes
mathematical analysis of potential losses in a thick porous metal-hydride electrode during a discontinuous discharge, 61
Morphology
lithium state diagram as a description of lithium deposit morphology, 141

Nickel
progress in sealed Ni–Zn cells, 1991–1995, 15
characteristics of nickel–metal hydride cells containing metal hydride alloys prepared by an atomization technique, 101
Nickel/cadmium batteries
ruthenium-based, inert oxide electrodes for impregnating active materials in nickel plaques, 155
Nickel/cadmium cells
ruthenium-based, inert oxide electrodes for impregnating active materials in nickel plaques, 155
Nickel/zinc batteries
zinc deposition during charging nickel/zinc batteries, 115
Nickel cathode
effects of surface modification of $Ni(OH)_2$ powders on the performance of nickel cathodes, 55
Nickel-coating
effects of nickel- and copper-coating of hydride alloys on the electrode reactions of metal-hydride electrodes, 97
Nickel electrodes
electrochemical and thermodynamic studies of nickel electrodes in alkaline electrolytes, 121
Nickel plaque
ruthenium-based, inert oxide electrodes for impregnating active materials in nickel plaques, 155
Non-aqueous solvents
effect of solvents on the intercalation/de-intercalation behaviour of monovalent ionic species from non-aqueous solvents on polypropylene–graphite composite electrode, 47

Oxygen
preparation and lithium insertion behaviour of oxygen-deficient $Li_{1+x}V_3O_{8-\delta}$, 135
Oxygen evolution
influence of bismuth on hydrogen and oxygen evolution on lead–calcium–tin–aluminium grid alloys, 159

Partial-state-of-charge
performance of flooded- and gelled-electrolyte lead/acid batteries under remote-area power-supply duty, 27
Performance
characteristics of poly(ethylene oxide)–NaI polymer electrolyte and electrochemical cell performances, 169

Plate-group compression
performance of flooded- and gelled-electrolyte lead/acid batteries under remote-area power-supply duty, 27
Poly(ethylene oxide)
characteristics of poly(ethylene oxide)–NaI polymer electrolyte and electrochemical cell performances, 169
Polymer electrolyte
characteristics of poly(ethylene oxide)–NaI polymer electrolyte and electrochemical cell performances, 169
Potential losses
mathematical analysis of potential losses in a thick porous metal-hydride electrode during a discontinuous discharge, 61
Premature capacity loss
performance of flooded- and gelled-electrolyte lead/acid batteries under remote-area power-supply duty, 27
Pressure drop
distribution of gas flow in internally manifolded solid oxide fuel-cell stacks, 41
Pseudocapacitance
the role and utilization of pseudocapacitance for energy storage by supercapacitors, 1

Remote-area power-supplies
performance of flooded- and gelled-electrolyte lead/acid batteries under remote-area power-supply duty, 27
Ruthenium
ruthenium-based, inert oxide electrodes for impregnating active materials in nickel plaques, 155

Seawater batteries
development of a seawater battery for deep-water applications, 71
Sodium iodide
characteristics of poly(ethylene oxide)–NaI polymer electrolyte and electrochemical cell performances, 169
Spinel
studies on Li–Mn–O spinel system (obtained from melt-impregnation method) as a cathode for 4 V lithium batteries Part IV. High and low temperature performance of $LiMn_2O_4$, 129
Supercapacitors
the role and utilization of pseudocapacitance for energy storage by supercapacitors, 1
Surface film
lithium state diagram as a description of lithium deposit morphology, 141
Surface modification
effects of surface modification of $Ni(OH)_2$ powders on the performance of nickel cathodes, 55

Thermodynamics
on the thermodynamics of the agglomerate-of-spheres' model for the PbO_2 electrode, 147
Thermodynamic study
electrochemical and thermodynamic studies of nickel electrodes in alkaline electrolytes, 121
Tin
influence of alloying with bismuth on electrochemical behaviour of lead–calcium–tin grid alloys, 107
influence of bismuth on hydrogen and oxygen evolution on lead–calcium–tin–aluminium grid alloys, 159

Uninterruptable power sources
design criteria for an uninterruptable power source (UPS), 151

Vanadium
preparation and lithium insertion behaviour of oxygen-deficient $Li_{1+x}V_3O_{8-\delta}$, 135

Zinc
progress in sealed Ni–Zn cells, 1991–1995, 15
Zinc deposition
zinc deposition during charging nickel/zinc batteries, 115